



IMPORTADORES DIRECTO DE FABRICA

Impocom Chile SpA
...del mundo a tu casa

+569 5736 9091

ventas@impocomchile.cl

www.impocomchile.cl

Fregadora De Piso Con Operador A Pie A55



Parámetros Técnicos	A55	Parámetros Técnicos	A55
Máxima Productividad Laboral	Los 3500m * 2 / H	Velocidad De Avance	0-6 Km / H
Ancho De Fregado	850 Mm	Degradado	30%
Diámetro Del Cepillo De Disco	510 Mm	Capacidad Del Tanque De Agua Clara / Tanque De Aguas Residuales	60/65 L
Voltaje / Potencia Nominal	24 V / 1050 W	Dimensiones	1200 * 850 * 1050 Mm
Duración De La Operación	> 4h	Peso Bruto Peso Neto	185/200 Kg



IMPORTADORES DIRECTO DE FABRICA

Impocom Chile SpA

...del mundo a tu casa

+569 5736 9091

ventas@impocomchile.cl

www.impocomchile.cl



Smart Panel

Simplified operation panel,
easy operation

Large Capacity Water Tank

Large capacity water tank,
no need to change water
frequently



Rotomolding Body

The body is integrally molded,
tightly leak-proof and durable

Aluminum Alloy Brush Cover

Rust and corrosion resistant



Squeegee

Using aluminum alloy casting,
corrosion resistance, easy to
remove stain

Anti-skid Tires

Solid anti-skid tires, flexible turning,
stable and durable





IMPORTADORES DIRECTO DE FABRICA

Impocom Chile SpA

...del mundo a tu casa

+569 5736 9091

ventas@impocomchile.cl

www.impocomchile.cl

Product Performance

Six Core Advantages



Use Tianneng maintenance-free battery, no need for later maintenance



Smart charger, Thermal safety protection after full charging



Electronic lock device, safer storage



Using three-layer fan motor, super suction. Low noise, stable performance



Small size, flexible turning and easy operation



Efficient decontamination without leaving traces