

## Impocom Chile SpA

...del mundo a tu casa

+569 5736 9091

□ ventas@impocomchile.cl

www.impocomchile.cl

## PLATAFORMA DE ELEVACIÓN DE ORUGAS DE **GOMA**



### Descripción del producto:

Plataforma elevadora de tijera autopropulsada profesional china, con sistema móvil y autopropulsado, sin contaminación ni ruido. Adecuado para la instalación aérea y el mantenimiento de los lugares de trabajo, terrenos de trabajo lisos, como hoteles, gran salón, estadio deportivo, gran fábrica, talleres, almacén.



# Impocom Chile SpA ...del mundo a tu casa

★ +569 5736 9091
▼ ventas@impocomchile.cl www.impocomchile.cl Plataforma elevadora de tijera móvil de cuatro ruedas

Modelo	Tamaño de la mesa	Carga	Altura despejada	Dimensión (mm)	-
AWYY0.3-4	2100×830	300-500	4	2250×950×1100	-
AWYY0.3-6	2100×830	300-500	6	2250×950×1200	_
AWYY0.3-7	2100×830	300-500	7	2250×950×1280	-
AWYY0.3-8	2100×930	300-500	8	2250×1060×1380	-
AWYY0.3-9	2100×930	300-500	9	2250×1060×1500	-
AWYY0.3-10	2100×1230	300-500	10	2250×1350×1530	_
AWYY0.3-11	2100×1230	300	11	2250×1350×1650	-
AWYY0.3-12	2550×1530	300	12	2720×1670×1750	_
AWYY0.3-14	2812×1530	300	14	3045×1730×1810	
AWYY0.3-16	2812×1600	300	16	3045×1800×2080	
AWYY0.3-18	3070×1600	300	18	3250×1800×2080	
AWYY1.0-4	2100×1200	1000	4	2250×1350×1180	
AWYY1.0-6	2100×1200	1000	6	2250×1350×1300	
AWYY1.0-8	2100×1200	1000	8	2250×1350×1420	
AWYY1.0-10	2100×1200	1000	10	2250×1350×1530	
AWYY1.0-12	2550×1530	1000	12	2720×1670×1750	-
AWYY1.0-14	2812×1530	1000	14	3045×1750×1810	•
AWYY1.0-15	3070×1600	1000	15	3350×1910×2210	•
AWYY1.0-16	2812×1600	1000	16	3045×1800×2080	
AWYY1.5-6	2100×1530	1500	6	2200×1750×1530	
AWYY1.5-8	2100×1530	1500	8	2250×1750×1690	
AWYY1.5-10	2100×1530	1500	10	2250×1750×1850	
AWYY1.5-12	2550×1530	1500	12	2796×1762×1850	-
AWYY1.5-14	2816×1600	1500	14	3045×1852×1960	-
AWYY2.0-6	2100×1530	2000	6	2250×1750×1530	-
AWYY2.0-8	2100×1530	2000	8	2250×1750×1690	-
AWYY2.0-10	2100×1530	2000	10	2250×1750×1850	-
AWYY2.0-12	2550×1600	2000	12	2796×1852×1954	-
AWYY2.0-14	2816×1600	2000	14	3045×1852×2230	-
AWYY2.0-15	3070×1600	2000	15	3350×1910×2260	-



## Impocom Chile SpA

...del mundo a tu casa

+569 5736 9091

□ ventas@impocomchile.cl

www.impocomchile.cl

Plataforma elevadora de tijera móvil sobre orugas							
Modelo	Tamaño de la mesa	Carga	Altura despejada	Dimensión (mm)			
AWLD0.3-4	2100*820	300	4	2200*980*1100			
AWLD0.3-6	2100*820	300	6	2200*950*1200			
AWLD0.3-8	2100*900	300	8	2200*1060*1380			
AWLD0.3-10	2100*1200	300	10	2200*1350*1530			



#### TWO CONTROL PANELS

Both ground floor and platform equipped with control box, operation is very easy and convenient.



#### SAFETY BAR

The safe bar helps to support the unit as a duplicate protection when the machine need some maintenances.



IMPOCOMCHILE.CL





IMPOCOMCHILE.CL





#### **FOUR OUTRIGGERS**

Ensure most stable work performance.



#### **COMPACT DESIGN**

Compact size provide access in and around confined work areas.



#### INDEPENDENT GUIDE WHEEL STRUCTURE

Running more stable, reliable, far superior to the ordinary independent guide wheel support structure.



#### LADDERS ACCESS

#### TO PLATFORM

Anti-skid design ladders ensure your safe access way to platform.













#### FRIENDLY DESIGN

Self-propelled scissors lift tables storage battery as the power source, and makes low noise and no emission when working.



#### 25% GRADEABILITY

Self-propelled scissors lift offer up to 25% grade ability when driving on slopes with safety protection.