



IMPORTADORES DIRECTO DE FABRICA

Impocom Chile SpA
...del mundo a tu casa

+569 5736 9091

ventas@impocomchile.cl

www.impocomchile.cl

Barredora De Piso Manual S1060



Parámetros Técnicos	1060	Parámetros Técnicos	1060
Máxima Productividad Laboral	Los 4800m * 2 / H	Velocidad De Avance	0-6 Km / H
Ancho De Limpieza	1060 Mm	Diámetro Del Cepillo De Disco	380 Mm
Degradado	30%	Basura	35
Voltaje / Potencia Nominal	12V / 400W	Dimensiones	1200 * 930 * 950 Mm
Duración De La Operación	> 4h	Peso Bruto Peso Neto	100 / 120kg



IMPORTADORES DIRECTO DE FABRICA

Impocom Chile SpA

...del mundo a tu casa

+569 5736 9091

ventas@impocomchile.cl

www.impocomchile.cl



Operation Panel

Simple operation panel, easy operation, customizable button icon



Folding Fuselage

The color of the machine can be customized, and the handle can be folded, save space.



Nylon Brush

Wear resistance, corrosion resistance, excellent flexibility



Dustbin

35L garbage tank, avoid frequent dumping, improve work efficiency



IMPORTADORES DIRECTO DE FABRICA

Impocom Chile SpA

...del mundo a tu casa

+569 5736 9091

ventas@impocomchile.cl

www.impocomchile.cl

Six Core Advantages



Use Tianneng maintenance-free battery, no need for later maintenance



KC certification Smart charger, Automatic power off protection after full charging



Sweeping and suction in one machine



Using three-layer fan motor, super suction. Low noise, stable performance



Flexible turning and easy operation



High Efficient Cleaning, No Dust